

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L5	7036	(gravity with sensor)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/19 18:57
L6	2	(gravity with sensor with (quartz or glass or ceramic) with metal)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/19 18:16
L7	9061	(gravity and sensor and (quartz or glass or ceramic) and metal)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/19 18:58
L8	49	(gravity same sensor same (quartz or glass or ceramic) same metal)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/19 18:21

L9	49	8 not 2	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/01/19 18:25
L10	58	7 and (gravity adj (sensor or meter or metre))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/01/19 18:35
L11	54	10 not 9	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/01/19 18:32
L12	70	7 and (gravity near (sensor or meter or metre))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/01/19 18:35
L13	16	12 not 11	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/01/19 18:36

L14	88	7 and (adjust\$4 near stop)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/01/19 18:37
L15	88	14 not 12	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/01/19 18:42
L16	3296	7 and (process or procedure or method).ti.	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/01/19 18:48
L17	989	16 and (heat\$3 and cool\$3 and insert\$3)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/01/19 18:51
L18	838	16 and (heat\$3 and cool\$3 and insert\$3 and (hole or opening))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/01/19 18:52

L19	838	16 and (heat\$3 and cool\$3 and insert\$3 and (hole or opening) and metal and (quartz or ceramic or glass))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/01/19 18:54
L20	0	16 and (heat\$3 and cool\$3 and insert\$3 and (hole or opening) and metal and (quartz or ceramic or glass)). ab.	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/01/19 18:54
L21	0	16 and (heat\$3 same cool\$3 same insert\$3 same (hole or opening) same metal same (quartz or ceramic or glass)). ab.	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/01/19 18:55
L22	2863	(gravity adj(meter or metre or device or sensor))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/01/19 18:58
L23	80	22 and ((quartz or glass or ceramic) with metal)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/01/19 18:59